15

20

WHAT IS CLAIMED IS:

1. A call service system, which, in response to an inquiry received through telephone, an electronic mail or a home page from a user, gives an answer through telephone or an electronic mail from any one of a plurality of operator terminals,

wherein each of client terminals, used by each of the users, comprises:

a user interface for selecting a type of communication media to be used upon informing the user of the contents of the answer through the operator terminal; and

transmission unit for transmitting the type of communication media selected on the user interface, the contents of the inquiry and information related to the user to a server, and

the server comprises:

queue-managing unit for queue-managing inquiries in which telephone is selected as the type of communication media and inquiries from the users through telephone in a unified manner; and

processing unit for successively processing the respective inquiries managed by the queue-managing unit by using the plurality of operator terminals.

- 2. The call service system according to claim 1, wherein: the queue-managing unit manages a first queue including a waiting matrix for inquiries in which telephone has been selected as the type of communication media and a second queue including the inquiries from the users through telephone, and the processing unit allocates the inquires inside the second queue to the respective operator terminals, and in the case when any inquiry within the second queue has not been allocated thereto for a predetermined period of time, each of the operator terminals accepts the inquiries of the first queue successively.
- 3. The call service system according to claim 1, wherein: the queue-managing unit manages the inquiries in which telephone is selected as the type of communication media and the inquiries from the users through telephone by using a single queue, and the processing unit successively allocates the inquiries inside the queue to the respective operator terminals based upon a predetermined rule.

25

5

10

4. The call service system according to claim 1, wherein the queue managing unit queue-manages a demand for notification given to the operator terminals so as to simultaneously notify the plurality of users of information items, inquiries in which telephone is selected as the type

20

of communication media, and inquiries from the users through telephone, in a unified manner.

- 5. The call service system according to claim 1, wherein the user interface comprises a home page inquiry screen that is provided with at least an input frame for allowing a selection among a retrieval of knowledge data base, an inquiry through an electronic mail and an inquiry through telephone, an input frame used for inputting information related to the user and an input frame in which the contents of an inquiry are inputted.
 - 6. A call service method, wherein, in response to an inquiry received through telephone, an electronic mail or a home page from a user, an answer is given through telephone or an electronic mail from any one of a plurality of operator terminals, characterized by comprising the steps of:

selecting a type of communication media to be used upon informing the user of the contents of the answer through the user interface on the client terminal used by the user from the operator terminal;

in the selection step, the contents of the inquiry and information related to the user to the server;

queue-managing the inquiries in which telephone is

selected as the type of communication media that have been transmitted from the transmission step and the inquiries through telephone from the users in a unified manner by the server; and

successively processing the inquires that have been managed by the queue managing step by using the plurality of operator terminals.

7. A recording medium, which is a computer-readable recording medium storing a program for allowing a computer to execute a call service method in which, in response to an inquiry received through telephone, an electronic mail or a home page from a user, an answer is given through telephone or an electronic mail from any one of a plurality of operator terminals, is characterized by storing the program that allows the computer to execute the steps of:

selecting a type of communication media to be used upon informing the user of the contents of the answer through the user interface on the client terminal used by the user from the operator terminal;

transmitting the type of communication media selected in the selection step, the contents of the inquiry and information related to the user to the server;

queue-managing the inquiries in which telephone is selected as the type of communication media that have been

15

25

transmitted from the transmission step and the inquiries through telephone from the users in a unified manner by the server; and

successively processing the inquires that have been managed by the queue managing step by using the plurality of operator terminals.

8. A program, which is a program for allowing a computer to execute a call service method in which, in response to an inquiry received through telephone, an electronic mail or a home page from a user, an answer is given through telephone or an electronic mail from any one of a plurality of operator terminals, is characterized in that said program allows the computer to execute the sequences of:

selecting a type of communication media to be used upon informing the user of the contents of the answer through the user interface on the client terminal used by the user from the operator terminal;

transmitting the type of communication media selected
in the selection sequence, the contents of the inquiry and
information related to the user to the server;

queue-managing the inquiries in which telephone is selected as the type of communication media that have been transmitted from the transmission sequence and the inquiries through telephone from the users in a unified manner by the

server; and

successively processing the inquires that have been managed by the queue-managing sequence by using the plurality of operator terminals.

5